

Data sheet

USB optical read-out head



Application

The optical read-out head is a device that enables the user to read configured data in meters and to update the firmware.

The optical read-out head is fitted with a permanent magnet, which ensures that the head remains attached on the meter during data collection.

Data is transferred via an infrared light using serial two-way communication.

Specification

Technical data

USB interface

Supported by Kamstrup USB driver

No supply required

Mechanical data

Diameter	32 mm
Length	33 mm
Cable length	1.5 m
Magnetic retention force	≈ 15 N
Protection class	IP53

Compliant with IEC/EN 62056-21



Accessories

Fixing device for water meters



Fixing metal plate for heat/cooling meters



Holder for optical read-out head for heat/cooling meters



Guideline for use and storage

The optical read-out head includes a powerful magnet. This magnet may attract other metal objects that may damage the optical read-out head. Therefore, the USB optical read-out head is delivered with a protective disk, which must be mounted when the head is stored.

Order specifications

Type No.	Description
6699099	USB optical read-out head with protective disk
6561331	Fixing device for the water meters MULTICAL® 21 and flowIQ®
6699042	Fixing metal plate for MULTICAL® heat/cooling meters, 20 pcs.
3026909	Fixing device for MULTICAL® heat/cooling meters

USB optical read-out head

Kamstrup Water Metering, LLC

2855 Forsyth Commerce Way, Building 200

Cumming, GA 30040, USA

T: +1 (404) 835-6716

info-us@kamstrup.com

kamstrup.com