


## Data sheet

### READY Manager and App

- Intuitive PC software and app for handling data from devices within heat, cooling and water
- Simple icon-based navigation
- Supports both mobile reading and direct reading
- App with built-in installation tool



## READy Manager – easy to use and with a multitude of functionalities


---

READy Manager is the PC software for handling meters, sensors and data. READy Manager has a simple and logical user interface with a start page and icon-based navigation to further features, making the application very intuitive and easy to use. Information about the most basic features are available by clicking the help icon on the start page. READy Manager is primarily designed to run as a hosted solution in which reading data is saved on secured servers at Kamstrup. Alternatively, it can be offered as a local installation as well, where data is stored locally on a customer computer.

The application offers a multitude of features which make data handling easy, for example:

- Mobile reading
- Direct reading on a daily basis via Fixed network (purchase)
- Direct reading on an hourly basis via Fixed network (purchase)
- Direct reading of selected meters in 5-minute intervals (purchase)  
The interval time depends on the network strength
- Generic import functionality for importing customer database
- Graphical visualisation of reading data
- Display of meters on map
- Automatic GIS coordinates based on addresses
- User-defined export formats for exporting to billing systems
- Automatic export functionality
- Possibility of receiving readings by email on an hourly, daily, weekly or monthly basis (hosted solutions only)
- Grouping of meters
- Management of mobile reading units
- Overview of info codes
- Display of logged data from heat, cooling and water meters
- Advanced filtering

## READy Manager – easy to use and with a multitude of functionalities



## READY Manager – hardware and software requirements

---

The hardware requirements depend on whether the application runs as a hosted solution or it is installed locally.

### Hosted solution

PC with Microsoft Internet Explorer 9 or newer and Microsoft Windows 10, 64 bit.

The PC must be fully updated via Windows Update.

Internet access and open outgoing TCP/443.

### Locally installed solution

Processor	Intel Core I3 compatible processor 2.4 GHz or faster
Processor (recommended)	Intel Core i5 compatible processor (Intel Core i5-6300U) 2.4 GHz or faster
RAM	8 GB RAM
RAM (recommended)	16 GB RAM

### Hard disk (recommended)

Metering points	Mobile reading (based on one reading per month)	Fixed network Daily basis	Fixed network Hourly basis
0-15000	128 GB SSD	128 GB SSD	256 GB SSD
15001-50000	128 GB SSD	128 GB SSD	500 GB SSD
50001-100000	256 GB SSD	500 GB SSD	1000 GB SSD

### Software (water)

Metering points	Mobile reading (based on one reading per month)	Fixed network Daily basis	Fixed network Hourly basis
0-800	●	●	●
801-2700	●	●	■
2701-42000	●	■	■
>42000	■	■	■

### Thinning of data

Data is stored only as long as required. By default, data that is collected via network and drive-by is automatically thinned according to the below procedure:

- All readings are saved at least 13 months
- After 13 months all readings are compressed to 1 reading per day
- After 10 years all readings are deleted

## READy Manager – hardware and software requirements

### Software (heat, cooling, water)

Metering points	Mobile reading (based on one reading per month)	Fixed network Daily basis	Fixed network Hourly basis
0-500	●	●	●
501-1.000	●	●	■
1.001-10.000	●	■	■
>10.000	■	■	■

● =

- Windows 10, 64 bit / Windows 10 Pro, 64 bit
- .Net Framework 4.7.1
- Microsoft SQL Server 2019 Express (included in the price).

■ =

- Windows 10, 64 bit / Windows 10 Pro, 64 bit
- .Net Framework 4.7.1
- Microsoft SQL Server 2019 Standard (to be purchased separately).

The PC must be fully updated via Windows Update.

In addition, some features require internet connection and that the following ports are open:

- TCP/443 outgoing (synchronisation with mobile units and concentrators via web and with Encryption Key Service)
- TCP/20 and 21 outgoing (access to automatic updates)
- TCP/80 outgoing (automatic licence renewal)
- TCP/8703 incoming (direct synchronisation with concentrators and mobile units)
- TCP/8704 outgoing (used if server and client are not installed on the same unit)
- UDP/8705 local area network (READy App and READy Manager discovery)
- TCP/9443 outgoing (facilitated synchronization with concentrators)
- TCP/11443 outgoing (facilitated synchronization with concentrators).

## READY App – mobile reading and installation tool

---


READY App is a mobile application that – together with a Bluetooth®-connected converter – changes your smartphone into an efficient reading tool. READY App is extremely intuitive and makes meter reading and data synchronisation with the central data management software easy.

By pressing a button in READY App, data is synchronised wirelessly with data in the central data management software by which the meters become available in the app. When READY App is in reading mode, an integrated Google Maps feature shows the geographical position of not yet read meters on a map, making meter reading with READY App very simple and efficient. As the meters are read, they light up and disappear from the map. In this way, the operator is provided with a clear picture of the positions of the remaining meters.

In addition to reading the wireless data communication from the meters, READY App can be used together with a Bluetooth®-connected optical read-out head. When the optical head is placed on the infrared connection port of Kamstrup's heat, cooling and water meters, the data logger in the meter can be accessed from READY App.

READY App contains functionalities which make mobile reading and network setup simple and efficient, including:

- Handling of up to 30,000 metering points
- Map view and list view of meters
- Search function
- Graphical display of logged data from heat, cooling and water meters
- Display of info codes
- In-field synchronisation of data with READY Manager
- Verification of the signal strength from meters
- Configuration of network components.



## READy App – recommended hardware

---

### Smart phones

- Samsung Galaxy S22 or S23
- Samsung A Series A54
- HUAWEI P50 or P60
- Nokia G42 or X30

### Tablet

- Samsung Galaxy Tab S9
- Lenovo Tab M10 or P11

## READy App – hardware and software requirements

---

### Hardware

Memory	Minimum 8 GB
Connection	Wi-Fi, Bluetooth 5.0
Display size and resolution	Minimum 4.3" and 1024 x 768

### Software

Android OS Minimum version 11 (security updated)  
 IP access to PC software via Wi-Fi  
 Google Play access (Google account).

In addition, some features require the following:

- Mobile data access (SIM card) for using map view
- Integrated camera in smartphone (for easy pairing of PC software and smartphone app).

## Overview of supported installations – READY Manager and App

AMR/AMI	Relevant for	Hosted	Local installation
Fixed Network – hourly readings	HCW	√	√
Fixed Network – daily readings	HCW	√	√
Wired M-Bus	HCW	√	√**
Drive-by	HCW	√	√**
Shared Infrastructure	HCW	√	√
<b>Add-on modules</b>			
API Access	HCW	√	–
Additional Users	HCW	√	–
Priority Meters	HCW	√	√
Notifications	HCW	√	–
Meter Exchange	HCW	√	√
Meter Reading Import	HCW	√	√
Mixed Infrastructure	HCW	√	–
Non-Standard Export Formats	HCW	√	–
Radio Mesh	HC	√	–
Wireless M-Bus Scheduler	HC	√	√
<b>Communication protocols</b>			
Wired M-Bus	HCW	√	√**
Wireless M-Bus	HCW	√	√**
linkIQ®	HCW	√	–
NB-IoT	HCW	√	–
Sigfox	HCW	√	–
USA AMI	W	√	√
<b>Analytics</b>			
Leak Detector	HCW	√	√*
District Analyser	HCW	√	√*
Heat Intelligence	HCW	√	√*
Kamstrup Network Monitor	HCW	√	–
<b>Administration</b>			
Roles and rights	HCW	√	–

\* Expires when the API is put to use

\*\* Also supported in the USB Meter Reader replacement.  
The replacement is a scaled down version of the local READY.

### Local Sales & Support:

**Kamstrup Middle East FZC**  
Dubai Outsource City, Building 8  
Office 205 P.O. BOX 345040  
Dubai, United Arab Emirates  
T: +971 4 453 7337  
dubai@kamstrup.com  
kamstrup.com

### Headquarters:

**Kamstrup A/S**  
Industrivej 28, Stilling  
DK-8660 Skanderborg  
T: +45 89 93 10 00  
info@kamstrup.com  
kamstrup.com