

Data sheet

MULTITERM Pro RF

**Hand-held terminal for
reading of supply meters**

- Radio, optical or manual reading
- Clear display of route status
- Rugged design
- Fast and secure data transfer



Function

Radio, optical or manual reading

MULTITERM Pro is a hand-held terminal from Kamstrup with integrated RF. MULTITERM Pro is customised for the field worker responsible for reading electricity, heat, cooling and water consumption, whether by radio, optical read-out head, or manual data entry.

With MULTITERM Pro, it is possible to read all Kamstrup heat, cooling, electricity and water meters and in addition meters of third-parties.

Clear display of route status

In MULTITERM Pro, you have the possibility of storing up to 10 routes with a total of 3500 meters in the memory in advance and to choose a single route through the user-friendly colour touch screen display. This large display provides an overview of the status of all available routes including street names and the chosen route/street.

Furthermore, the display shows you the status of each meter of the current route/street clearly stating meter number, name, address and meter type.

Finally, all meter data such as reading time, max power/flow, energy and volume is displayed.

Rugged design

MULTITERM Pro is based on the Workabout Pro from Psion Teklogix and is equipped with a large colour touch screen display and a numeric keyboard. MULTITERM Pro is both water, shock and temperature resistant and can thus withstand changeable weather conditions.

Fast, easy and secure data transfer

MULTITERM Pro RF enable you to collect data quickly and safely without being in direct contact with the meter.

In most cases, it is possible to collect data by passing by each lot with the permitted speed in urban areas.

In addition, it is possible to specify exactly which registers to read and thereby reducing the reading time. Dependent on the size of the data packet, it takes 2 to 5 seconds to read module data and 10 to 20 seconds to read meter data.

If the hand-held terminal runs out of power, your data will be stored automatically. In this way, no data will be lost.

Finally, the docking station enables you to transfer data easily, quickly and secure from MULTITERM Pro to the PC.

Hardware

MULTITERM Pro is based on Workabout Pro from Psion Teklogix configured with Windows Mobile and rated at IP54. It is equipped with a colour touch screen display and a complete keyboard.

Reading of log values

The optical read-out head enables the MULTITERM Pro to read data loggers in all MULTICAL® calculators. Furthermore, you can see the values on the display and export them to Excel.

Update of meter with MULTITERM Pro

With MULTITERM Pro, you can, among other things, update the date, time and customer number of the meter via the optical read-out head or cable.

Technical data

MULTITERM Pro is available with

- The hand-held terminal Workabout Pro from Psion Teklogix
- Kamstrup MULTITERM Pro software
- 4400 mAh lithium-ion battery
- Kamstrup RF Radio Module
- Antenna
- Handstrap

Accessories

- Docking station
- USB cable for transferring data to PC
- Power cable
- Optical read-out head
- Software plug-in for reading meters of third-parties
- Cradle for vehicle mount

Electrical data

- Supply: 4400 mAh lithium-ion battery
- Backup: Rechargeable backup battery
- Protocols: IEC1107/RS232, Kamstrup protocol
- Operating system: Windows Mobile 6

Mechanical data

- Total weight: 632 g
- Size: 260 x 100 x 45 mm (without antenna)
- Density: IEC 529, rated at IP54
- Humidity: 5-95 %, non-condensing
- Storage temperature: -25 °C - +60 °C
- Operating temperature: -10 °C - +60 °C

Approvals

- CE
- RoHS
- R&TTE directive [EN300 220, EN301 489, EN300 328, EN60950, EN62311]

Kamstrup A/S

Industrivej 28, Stilling
DK-8660 Skanderborg
T: +45 89 93 10 00
F: +45 89 93 10 01
info@kamstrup.com
kamstrup.com